

Practitioner's Docket No. 062004-1791

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number: 7,201,060

Issued: April 10, 2007

Name of Patentee: Frost et al.

Title of Invention: APPARATUS AND METHOD FOR DETERMINING IN SITU PORE FLUID
AND SOIL PROPERTIES USING MULTI-SENSOR MEASUREMENT SYSTEMS

Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Attention: Decision and Certificate of Correction
Branch of the Patent Issue Division

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
FOR PTO MISTAKE (37 C.F.R. § 1.322(a))

1. Attached, in duplicate, is PTO/SB/44 (also Form PTO-1050), with at least one copy being suitable for printing.

NOTE: Form PTO-1050 (or PTO/SB/44), using the column and line number in the printed patent, should be used exclusively regardless of the length or complexity of the subject matter. M.P.E.P. § 1485, 7th ed.

NOTE: The patent grant should be retained by the patentee. The PTO does not attach the certificate of correction to the patentee's copy of the patent. The patent grant will be returned to the patentee if submitted. M.P.E.P. § 1485.

2. The exact page and line number where the errors are shown correctly in the application file are:


NOTE: This information should be identified in this request; however, on Form PTO-1050, only the column and line number in the printed patent should be used. M.P.E.P. § 1485, 7th ed.

Column 17, line 14, change "end" to "and"

3. Please send the Certificate to:

Name: **Scott A. Horstemeyer**

Address: Thomas, Kayden,
Horstemeyer, & Risley, L.L.P.
100 Galleria Parkway, Suite 1750
Atlanta, Georgia 30339


SIGNATURE OF PRACTITIONER

Scott A. Horstemeyer, Reg. No. 34,183

Tel. No.: **(770) 933-9500**

**Thomas, Kayden,
Horstemeyer, & Risley, L.L.P.
100 Galleria Parkway, Suite 1750
Atlanta, Georgia 30339**

Customer No.: 24504

NOTE: The certificate of correction, under 35 U.S.C. 254, may be issued at the request of the patentee or [the patentee's] assignee." 37 C.F.R. §1.322(a). The certificate of correction can be signed by the attorney of record who acts on behalf of the inventor(s) or assignee(s).

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,201,060

APPLICATION NO.: 10/693,624

ISSUE DATE : April 10, 2007

INVENTOR(S) : Frost, et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 17, Line 14

Delete the word "end" and replace with "and"

MAILING ADDRESS OF SENDER (Please do not use customer number below):

100 Galleria Parkway
Suite 1750
Atlanta, GA 30339

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,201,060
APPLICATION NO.: 10/693,624
ISSUE DATE : April 10, 2007
INVENTOR(S) : Frost, et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 17, Line 14

Delete the word "end" and replace with "and"

MAILING ADDRESS OF SENDER (Please do not use customer number below):

100 Galleria Parkway
Suite 1750
Atlanta, GA 30339

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 37 CFR 1.14. This collection is optional in less than 10 hour in complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.